

VEOLYSS

VL 50

MOBILE ADIABATIC AIR COOLER



Mobile adiabatic air cooler

VL 50



Fields of application

- Suitable for all types of industry.
- Automatic or manual water supply.

Ideal for

Factories

Storage halls

Greenhouses

Events

Garages

Workshops

Warehouses

Coffee, Bars, Hotels

Technical data

Max. flow	m ³ /h	5 000
Power supply	V/Hz	220-240 / 50
Surface area	m ²	50 m ²
Water capacity	L	90
Water consumption	L/h	3 to 4
Rated current	A	0.75
Water supply		auto or manual
Dimensions (l x w x h)	mm	664 x 433 x 1183
Weight	kg	16
Power	W	170
Tank level		YES
Max. noise level	dB	53/58/63

½" water connection

Special features

- Evaporative cooling without misting
- Adjustable speed (3 speeds)
- Oscillating airflow mode
- Timer function for automatic start and stop

Benefits

- Quiet, compact and mobile
- Economical and environmentally friendly
- Easy cleaning and low maintenance
- High cooling efficiency
- Large air volume
- Plug & play

VEOLYSS

VL 120

MOBILE ADIABATIC AIR COOLER



Mobile adiabatic air cooler

VL 120



Fields of application

- Suitable for all types of industry.
- Automatic or manual water supply
- Available in black or grey



Integrated UV LAMP

- Disinfection of bacteria, viruses, fungi and moulds

Ideal for

Factories

Storage halls

Greenhouses

Events

Garages

Workshops

Warehouses

Technical data

Max. flow	m ³ /h	12 000
Power supply	V/Hz	220-240 / 50
Surface area	m ²	150m ²
Water capacity	L	70
Water consumption	L/h	8 to 10
Rated current	A	1.92
Water supply		auto or manual
Dimensions (l x w x h)	mm	925 x 580 x 1440
Weight	kg	43
Power	W	440
Tank level		YES
Max. noise level	dB	54/58/63

½" water connection

Special features

- Evaporative cooling without misting
- Adjustable speed (3 speeds)
- Oscillating airflow mode
- Timer function for automatic start and stop

Benefits

- Quiet, compact and mobile
- Economical and environmentally friendly
- Easy cleaning and low maintenance
- High cooling efficiency
- Large air volume
- Plug & play

VEOLYSS

VL 220

MOBILE ADIABATIC AIR COOLER




Mobile adiabatic air cooler

VL 220



Fields of application

- Suitable for all types of industry.
- Automatic or manual water supply



Integrated UV LAMP

- Disinfection of bacteria, viruses, fungi and moulds

Ideal for

Factories

Storage halls

Greenhouses

Events

Garages

Workshops

Warehouses

Technical data

Max. flow	m ³ /h	22 000
Power supply	V/Hz	220-240 / 50
Surface area	m ²	250m ²
Water capacity	L	130
Water consumption	L/h	10 to 15
Rated current	A	2.8
Water supply		auto or manual
Dimensions (l x w x h)	mm	1120 x 640x 1600
Weight	kg	50
Power	W	640
Tank level		YES
Max. noise level	dB	58/64/68

½" water connection

Special features

- Evaporative cooling without misting
- Adjustable speed (3 speeds)
- Oscillating airflow mode
- Timer function for automatic start and stop

Benefits

- Quiet, compact and mobile
- Economical and environmentally friendly
- Easy cleaning and low maintenance
- High cooling efficiency
- Large air volume
- Plug & play

VEOLYSS

VL 300

MOBILE ADIABATIC AIR COOLER



Mobile adiabatic air cooler

VL 300



Fields of application

- Suitable for all types of industry.
- Automatic or manual water supply



Integrated UV LAMP

- Disinfection of bacteria, viruses, fungi and moulds

Ideal for

Factories

Storage halls

Greenhouses

Events

Garages

Workshops

Warehouses

Technical data

Max. flow	m ³ /h	30 000
Power supply	V/Hz	220-240 / 50
Surface area	m ²	400 m ²
Water capacity	L	280
Water consumption	L/h	20 to 30
Rated current	A	3.7
Water supply		auto or manual
Dimensions (l x w x h)	mm	1565 x 725 x 1760
Weight	kg	110
Power	W	850
Tank level		YES
Max. noise level	dB	66/68/70

½" water connection

Special features

- Evaporative cooling without misting
- Adjustable speed (3 speeds)
- Timer function for automatic start and stop

Benefits

- Quiet, compact and mobile
- Economical and environmentally friendly
- Easy cleaning and low maintenance
- High cooling efficiency
- Large air volume
- Plug & play